
Tube clamps series C (Heavy series) – Components


DIN 3015, part 2


Order code for clamp halves:

Polypropylene – **RCP**
Inside smooth – **RCPG**[1])
Polyamide 6 – **RCN**[1])
Rubber – **RCVR**
Aluminium – **RCA**


(Please exchange as required standard abbreviation RCP in column for "clamp halves")







RCPD
(= 2XRCP...)



clamp size	Tube O.D. mm	Tube NB	Tube O.D.	1 part 2 clamp halves RCP... Order code	b	c	d	e	f	1 part 4 clamp halves RCPD... Order code	b	c	d	e	f
					dimensions:						dimensions:				
1	6.0			**RCP106X**						**RCPD106**					
	8.0		5/16	**RCP108X**						**RCPD108**					
	10.0	G 1/8		**RCP110X**						**RCPD110**					
	12.0			**RCP112X**						**RCPD112**					
	12.7		1/2	**RCP112.7X**						**RCPD112.7**					
	13.5	G 1/4		**RCP113.5X**	55	32	33	16	30	**RCPD113.5**	55	32	33	16	60
	14.0			**RCP114X**						**RCPD114**					
	15.0			**RCP115X**						**RCPD115**					
	16.0		5/8	**RCP116X**						**RCPD116**					
	17.2	G 3/8		**RCP117.2X**						**RCPD117.2**					
	18.0			**RCP118X**						**RCPD118**					
2	19.0		3/4	**RCP219X**						**RCPD219**					
	20.0			**RCP220X**						**RCPD220**					
	21.3	G 1/2		**RCP221.3X**						**RCPD221.3**					
	22.0			**RCP222X**						**RCPD222**					
	23.0			**RCP223X**	70	48	45	24	30	**RCPD223**	70	48	45	24	60
	25.0		1	**RCP225X**						**RCPD225**					
	26.9	G 3/4		**RCP226.9X**						**RCPD226.9**					
	28.0			**RCP228X**						**RCPD228**					
	30.0			**RCP230X**						**RCPD230**					
3	30.0			**RCP330X**						**RCPD330**					
	32.0		1 1/4	**RCP332X**						**RCPD332**					
	33.7	G 1		**RCP333.7X**						**RCPD333.7**					
	35.0			**RCP335X**	85	60	60	30	30	**RCPD335**	85	60	60	30	60
	38.0		1 1/2	**RCP338X**						**RCPD338**					
	39.0			**RCP339X**						**RCPD339**					
	40.0			**RCP340X**						**RCPD340**					
	42.0	G 1 1/4		**RCP342X**						**RCPD342**					
4	38.0		1 1/2	**RCP438X**						**RCPD438**					
	39.0			**RCP439X**						**RCPD439**					
	40.0			**RCP440X**						**RCPD440**					
	42.0	G 1 1/4		**RCP442X**						**RCPD442**					
	45.0			**RCP445X**						**RCPD445**					
	46.0			**RCP446X**						**RCPD446**					
	48.3	G 1 1/2		**RCP448.3X**						**RCPD448.3**					
	50.0			**RCP450X**						**RCPD450**					
	51.0		2	**RCP451X**	115	90	90	45	45	**RCPD451**	115	90	90	45	90
	52.0			**RCP452X**						**RCPD452**					
	55.0			**RCP455X**						**RCPD455**					
	56.0			**RCP456X**						**RCPD456**					
	57.0		2 1/4	**RCP457X**						**RCPD457**					
	60.3	G 2		**RCP460.3X**						**RCPD460.3**					
	63.0		2 1/2	**RCP463X**						**RCPD463**					
	65.0			**RCP465X**						**RCPD465**					
	66.0			**RCP466X**						**RCPD466**					

Continuation see next page ...

Tel: +45 63 12 83 00 | Email: ps@hymatik.com | www.hymatik.com | Hvidkaervej 27a, DK-5250 Odense SV, Denmark


Tube clamps series C (Heavy series) – Components (Continued)


DIN 3015, part 2


Order code for clamp halves:

Polypropylene – **RCP**
Inside smooth – **RCPG**[1])
Polyamide 6 – **RCN**[1])
Rubber – **RCVR**
Aluminium – **RCA**


(Please exchange as required standard abbreviation RCP in column for "clamp halves")







RCPD
(= 2XRCP...)



clamp size	Tube O.D. mm	Tube NB	Tube O.D.	1 part 2 clamp halves RCP... Order code	dimensions: b	c	d	e	f	1 part 4 clamp halves RCPD... Order code	dimensions: b	c	d	e	f
5	70.0 70.0 73.0 75.0 76.1 80.0 82.5 88.9 90.0	G 2 1/2 G 3	3 3 1/4 3 1/2	**RCP470X** **RCP570X** **RCP573X** **RCP575X** **RCP576.1X** **RCP580X** **RCP582.5X** **RCP588.9X** **RCP590X**	152	120	122	60	60	**RCPD470** **RCPD570** **RCPD573** **RCPD575** **RCPD576.1** **RCPD580** **RCPD582.5** **RCPD588.9** **RCPD590**	152	120	122	60	120
6	90.0 97.0 100.0 101.6 108.0 114.3 127.0	G 3 1/2 G 4	4 4 1/4 4 1/2 5	**RCP690X** **RCP697X** **RCP6100X** **RCP6101.6X** **RCP6108X** **RCP6114.3X** **RCP6127X**	205	170	168	85	80	**RCPD690** **RCPD697** **RCPD6100** **RCPD6101.6** **RCPD6108** **RCPD6114.3** **RCPD6127**	205	170	168	85	160
7	127.0 133.0 140.0 150.0 152.4 159.0 165.1 168.3	G 5 G 5 1/2 G 6	5 5 1/4 5 1/2 6 6 1/4 6 1/2 6 5/8	**RCP7127X** **RCP7133X** **RCP7140X** **RCP7150X** **RCP7152.4X** **RCP7159X** **RCP7165.1X** **RCP7168.3X**	250	200	205	100	90	**RCPD7127** **RCPD7133** **RCPD7140** **RCPD7150** **RCPD7152.4** **RCPD7159** **RCPD7165.1** **RCPD7168.3**	250	200	205	100	180
8	168.3 177.8 193.7 203.0 219.1 220.0	G 8	6 5/8 7 7 5/8 8 5/8	**RCP8168.3X** **RCP8177.8X** **RCP8193.7X** **RCP8203X** **RCP8219.1X** **RCP8220X**	320	270	265	135	120	**RCPD8168.3** **RCPD8177.8** **RCPD8193.7** **RCPD8203** **RCPD8219.1** **RCPD8220**	320	270	265	135	240
9	219.1 244.5 250.0 273.0 323.9	G 8		**RCP9219.1X** **RCP9244.5X** **RCP9250X** **RCP9273X** **RCP9323.9X**	466	410	395	205	160	**RCPD9219.1** **RCPD9244.5** **RCPD9250** **RCPD9273** **RCPD9323.9**	466	410	395	205	320
10	355.6 406.4	G 10 G 12		**RCP10355.6X** **RCP10406.4X**	630	530	530	265	180	**RCPD10355.6** **RCPD10406.4**	630	530	530	265	360





Metal parts also available in stainless steel.
[1]) Only sizes 1–4

T

Tel: +45 63 12 83 00 | Email: ps@hymatik.com | www.hymatik.com | Hvidkaervej 27a, DK-5250 Odense SV, Denmark

Tube clamps series C (Heavy series) – Components

DIN 3015, part 2






clamp size	weld plate						double weld plate						weld/screw plate						mounting rail		
	AP C... Order code	dimensions: d	f	g	i	m	**APD C...** Order code	dimensions: d	f	g	i	m	**APL C...** Order code	dimensions: g	f	i	k	n	**TS C...** Order code	dim.: b	h
1	**APC1X**	33	30	73	8	M10	**APDC1X**	33	60	73	8	M10	**APLC1X**	113	30	8	85	11	**TSC1X (1 Meter)**	40	22
2	**APC2X**	45	30	85	8	M10	**APDC2X**	45	60	85	8	M10	**APLC2X**	125	30	8	97	11			
3	**APC3X**	60	30	100	8	M10	**APDC3X**	60	60	100	8	M10	**APLC3X**	140	30	8	112	11	**TSC2X (2 Meter)**		
4	**APC4X**	90	45	140	10	M12	**APDC4X**	90	90	140	10	M12	**APLC4X**	190	45	10	160	14			
5	**APC5X**	122	60	180	10	M16	**APDC5X**	122	120	180	10	M16	**APLC5X**	240	60	10	205	18			
6	**APC6X**	168	80	225	15	M20	**APDC6X**	168	160	225	15	M20	**APLC6X**	310	80	15	270	22			
7	**APC7X**	205	90	270	15	M24	**APDC7X**	205	180	270	15	M24	**APLC7X**	370	90	15	320	26			
8	**APC8X**	265	120	340	25	M30	**APDC8X**	265	240	340	25	M30	**APLC8X**	450	120	25	390	33			
9	**APC9X**	395	160	520	30	M30	**APDC9X**	395	324	520	30	M30									
10	**APC10X**	530	180	680	30	M30	**APDC10X**	530	364	680	30	M30									

Metal parts also available in stainless steel.
Complete programme range please refer to page T29.

Tel: +45 63 12 83 00 | Email: ps@hymatik.com | www.hymatik.com | Hvidkaervej 27a, DK-5250 Odense SV, Denmark

Tube clamps series C (Heavy series) – Components

DIN 3015, part 2

DIN 931/933

clamp size	rail nut			cover plate						double cover plate						hexagon head	
	TM C... Order code	dimensions: b	d	m	**DP C...** Order code	dimensions: b	d	f	i	m	**DPD C...** Order code	dimensions: b	d	f	i	m	**SS C...** Order code	dimensions: d × L
1					**DPC1X**	55	33	30	8	11	**DPDC1X**	55	33	60	8	11	**SSC1X**	M 10×40
2	**TMC1X**	20	17.8	M10	**DPC2X**	70	45	30	8	11	**DPDC2X**	70	45	60	8	11	**SSC2X**	M 10×60
3					**DPC3X**	85	60	30	8	11	**DPDC3X**	85	60	60	8	11	**SSC3X**	M 10×70
4	**TMC4X**	23	19.8	M12	**DPC4X**	115	90	45	10	14	**DPDC4X**	115	90	90	10	14	**SSC4X**	M 12×100
5					**DPC5X**	152	122	60	10	18	**DPDC5X**	152	122	120	10	18	**SSC5X**	M 16×130
6					**DPC6X**	205	168	80	15	22	**DPDC6X**	205	168	160	15	22	**SSC6X**	M 20×190
7					**DPC7X**	250	205	90	15	26	**DPDC7X**	250	205	180	15	26	**SSC7X**	M 24×220
8					**DPC8X**	320	265	120	25	33	**DPDC8X**	320	265	240	25	33	**SSC8X**	M 30×300
9					**DPC9X**	466	395	160	30	35	**DPDC9X**	466	395	324	30	35	**SSC9X**	M 30×450
10					**DPC10X**	630	530	364	30	35	**DPDC10X**	630	530	364	30	35	**SSC10X**	M 30×560


Metal parts also available in stainless steel.


T


Tel: +45 63 12 83 00 | Email: ps@hymatik.com | www.hymatik.com | Hvidkaervej 27a, DK-5250 Odense SV, Denmark


Tube clamps series C (Heavy series) – Components

DIN 3015, part 2









clamp size	socket head		stacking					locking plate[1])						locking washer[2])		
	IS C… Order code	dimensions: d × L	**AS C…** Order code	dimensions: a	b	m	SW	**SP C…** Order code	dimensions: a	b	c	d	e	**US C…** Order code	dimensions: a	b
1	**ISC1X**	M 10×45	**ASC1X**	25	51	M10	15	**SPC1X**	55	30	8	14	15.5			
2	**ISC2X**	M 10×60	**ASC2X**	40	66	M10	15	**SPC2X**	70	30	8	26	15.5	**USC1X**	13	22
3	**ISC3X**	M 10×70	**ASC3X**	50	76	M10	15	**SPC3X**	85	30	8	41	15.5			
4	**ISC4X**	M 12×100	**ASC4X**	85	112	M12	17	**SPC4X**	115	45	10	69	17.5	**USC4X**	15	28
5	**ISC5X**	M 16×130	**ASC5X**	110	146	M16	21	**SPC5X**	152	60	10	97	21.5	**USC5X**	18	32
6	**ISC6X**	M 20×190	**ASC6X**	155	206	M20	27	**SPC6X**	205	80	15	137	27.5	**USC6X**	21	36
7	**ISC7X**	M 24×220	**ASC7X**	185	245	M24	30	**SPC7X**	250	90	15	169	30.5	**USC7X**	25	42
8	**ISC8X**	M 30×300	**ASC8X**	250	330	M30	36	**SPC8X**	320	120	25	219	36.5	**USC8X**	32	52

[1]) The use of stacking screws necessitates the use of locking plates in the construction assembly!
[2]) When assemblying solid rubber clamps, covering plates, he×agon screws and locking washers must be used.
Metal parts also available in stainless steel.


Tel: +45 63 12 83 00 | Email: ps@hymatik.com | www.hymatik.com | Hvidkaervej 27a, DK-5250 Odense SV, Denmark

Tube clamps series C – Complete range


Polypropylene – **RCP**
Inside smooth – **RCPG 1)**
Polyamide 6 – **RCN**
Rubber – **RCVR***
Aluminium – **RCA**

(As required please exchange standard abbreviation RCP in column for "Order code")

2 clamp halves, weld plate, cover plate, hex. head bolt



2 clamp halves, weld plate, cover plate, socket head bolt



clamp size	Tube O.D. mm	Tube NB	Tube O.D.	Order code	Order code
	6.0			**RCP1–106**	**RCP2–106**
	8.0		5/16	**RCP1–108**	**RCP2–108**
	10.0	G 1/8		**RCP1–110**	**RCP2–110**
	12.0			**RCP1–112**	**RCP2–112**
	12.7		1/2	**RCP1–112.7**	**RCP2–112.7**
1	13.5	G 1/4		**RCP1–113.5**	**RCP2–113.5**
	14.0			**RCP1–114**	**RCP2–114**
	15.0			**RCP1–115**	**RCP2–115**
	16.0		5/8	**RCP1–116**	**RCP2–116**
	17.2	G 3/8		**RCP1–117.2**	**RCP2–117.2**
	18.0			**RCP1–118**	**RCP2–118**
	19.0		3/4	**RCP1–219**	**RCP2–219**
	20.0			**RCP1–220**	**RCP2–220**
	21.3	G 1/2		**RCP1–221.3**	**RCP2–221.3**
	22.0			**RCP1–222**	**RCP2–222**
2	23.0			**RCP1–223**	**RCP2–223**
	25.0		1	**RCP1–225**	**RCP2–225**
	26.9	G 3/4		**RCP1–226.9**	**RCP2–226.9**
	28.0			**RCP1–228**	**RCP2–228**
	30.0			**RCP1–230**	**RCP2–230**
	30.0			**RCP1–330**	**RCP2–330**
	32.0		1 1/4	**RCP1–332**	**RCP2–332**
	33.7	G 1		**RCP1–333.7**	**RCP2–333.7**
3	35.0			**RCP1–335**	**RCP2–335**
	38.0		1 1/2	**RCP1–338**	**RCP2–338**
	40.0			**RCP1–340**	**RCP2–340**
	42.0	G 1 1/4		**RCP1–342**	**RCP2–342**
	38.0		1 1/2	**RCP1–438**	**RCP2–438**
	40.0			**RCP1–440**	**RCP2–440**
	42.0	G 1 1/4		**RCP1–442**	**RCP2–442**
	45.0			**RCP1–445**	**RCP2–445**
	48.3	G 1 1/2		**RCP1–448.3**	**RCP2–448.3**
	50.0			**RCP1–450**	**RCP2–450**
4	51.0		2	**RCP1–451**	**RCP2–451**
	52.0			**RCP1–452**	**RCP2–452**
	55.0			**RCP1–455**	**RCP2–455**
	57.0		2 1/4	**RCP1–457**	**RCP2–457**
	60.3	G 2		**RCP1–460.3**	**RCP2–460.3**
	63.0		2 1/2	**RCP1–463**	**RCP2–463**
	65.0			**RCP1–465**	**RCP2–465**
	70.0			**RCP1–470**	**RCP2–470**

Continuation see next page ...

T


Tel: +45 63 12 83 00 | Email: ps@hymatik.com | www.hymatik.com | Hvidkaervej 27a, DK-5250 Odense SV, Denmark

Tube clamps series C – Complete range (Continued)


Polypropylene – **RCP**
Inside smooth – **RCPG 1)**
Polyamide 6 – **RCN**
Rubber – **RCVR***
Aluminium – **RCA**

(As required please exchange standard abbreviation RCP in column for "Order code")

2 clamp halves, weld plate, cover plate, hex. head bolt



2 clamp halves, weld plate, cover plate, socket head bolt



clamp size	Tube O.D. mm	Tube NB	Tube O.D.	Order code	Order code
	70.0			**RCP1–570**	**RCP2–570**
	73.0			**RCP1–573**	**RCP2–573**
	75.0			**RCP1–575**	**RCP2–575**
5	76.1	G 2 1/2	3	**RCP1–576.1**	**RCP2–576.1**
	80.0			**RCP1–580**	**RCP2–580**
	82.5		3 1/4	**RCP1–582.5**	**RCP2–582.5**
	88.9	G 3	3 1/2	**RCP1–588.9**	**RCP2–588.9**
	90.0			**RCP1–590**	**RCP2–590**
	90.0			**RCP1–690**	**RCP2–690**
	97.0			**RCP1–697**	**RCP2–697**
	100.0			**RCP1–6100**	**RCP2–6100**
6	101.6	G 3 1/2	4	**RCP1–6101.6**	**RCP2–6101.6**
	108.0		4 1/4	**RCP1–6108**	**RCP2–6108**
	114.3	G 4	4 1/2	**RCP1–6114.3**	**RCP2–6114.3**
	127.0		5	**RCP1–6127**	**RCP2–6127**
	127.0		5	**RCP1–7127**	**RCP2–7127**
	133.0		5 1/4	**RCP1–7133**	**RCP2–7133**
	140.0	G 5	5 1/2	**RCP1–7140**	**RCP2–7140**
7	150.0			**RCP1–7150**	**RCP2–7150**
	152.4	G 5 1/2	6	**RCP1–7152.4**	**RCP2–7152.4**
	159.0		6 1/4	**RCP1–7159**	**RCP2–7159**
	165.1	G 6	6 1/2	**RCP1–7165.1**	**RCP2–7165.1**
	168.3		6 5/8	**RCP1–7168.3**	**RCP2–7168.3**
	168.3		6 5/8	**RCP1–8168.3**	**RCP2–8168.3**
	177.8		7	**RCP1–8177.8**	**RCP2–8177.8**
8	193.7		7 5/8	**RCP1–8193.7**	**RCP2–8193.7**
	203.0			**RCP1–8203**	**RCP2–8203**
	219.1	G 8	8 5/8	**RCP1–8219.1**	**RCP2–8219.1**
	220.0			**RCP1–8220**	**RCP2–8220**

Delivery in unassembled individual components.

1) Only sizes 1–4

* Only with cover plate, hexagon screws and locking washers (only sizes 1–4).


Tel: +45 63 12 83 00 | Email: ps@hymatik.com | www.hymatik.com | Hvidkaervej 27a, DK-5250 Odense SV, Denmark

Tube clamps series C – Complete range


Polypropylene – **RCP**
Inside smooth – **RCPG**[1])
Polyamide 6 – **RCN**
Rubber – **RCVR***
Aluminium – **RCA**

(As required please exchange standard abbreviation RCP in column for "Order code")


2 clamp halves, rail nuts, cover plate, hex. head bolts



2 clamp halves, rail nuts, cover plate, socket head bolts



2 clamp halves, locking plate, stacking bolts



clamp size	Tube O.D. mm	Tube NB	Tube O.D.	Order code	Order code	Order code
	6.0			**RCP3–106**	**RCP4–106**	**RCP5–106**
	8.0		5/16	**RCP3–108**	**RCP4–108**	**RCP5–108**
	10.0	G 1/8		**RCP3–110**	**RCP4–110**	**RCP5–110**
	12.0			**RCP3–112**	**RCP4–112**	**RCP5–112**
	12.7		1/2	**RCP3–112.7**	**RCP4–112.7**	**RCP5–112.7**
1	13.5	G 1/4		**RCP3–113.5**	**RCP4–113.5**	**RCP5–113.5**
	14.0			**RCP3–114**	**RCP4–114**	**RCP5–114**
	15.0			**RCP3–115**	**RCP4–115**	**RCP5–115**
	16.0		5/8	**RCP3–116**	**RCP4–116**	**RCP5–116**
	17.2	G 3/8		**RCP3–117.2**	**RCP4–117.2**	**RCP5–117.2**
	18.0			**RCP3–118**	**RCP4–118**	**RCP5–118**
	19.0		3/4	**RCP3–219**	**RCP4–219**	**RCP5–219**
	20.0			**RCP3–220**	**RCP4–220**	**RCP5–220**
	21.3	G 1/2		**RCP3–221.3**	**RCP4–221.3**	**RCP5–221.3**
	22.0			**RCP3–222**	**RCP4–222**	**RCP5–222**
2	23.0			**RCP3–223**	**RCP4–223**	**RCP5–223**
	25.0		1	**RCP3–225**	**RCP4–225**	**RCP5–225**
	26.9	G 3/4		**RCP3–226.9**	**RCP4–226.9**	**RCP5–226.9**
	28.0			**RCP3–228**	**RCP4–228**	**RCP5–228**
	30.0			**RCP3–230**	**RCP4–230**	**RCP5–230**
	30.0			**RCP3–330**	**RCP4–330**	**RCP5–330**
	32.0		1 1/4	**RCP3–332**	**RCP4–332**	**RCP5–332**
	33.7	G 1		**RCP3–333.7**	**RCP4–333.7**	**RCP5–333.7**
3	35.0			**RCP3–335**	**RCP4–335**	**RCP5–335**
	38.0		1 1/2	**RCP3–338**	**RCP4–338**	**RCP5–338**
	40.0			**RCP3–340**	**RCP4–340**	**RCP5–340**
	42.0	G 1 1/4		**RCP3–342**	**RCP4–342**	**RCP5–342**
	38.0		1 1/2	**RCP3–438**	**RCP4–438**	**RCP5–438**
	40.0			**RCP3–440**	**RCP4–440**	**RCP5–440**
	42.0	G 1 1/4		**RCP3–442**	**RCP4–442**	**RCP5–442**
	45.0			**RCP3–445**	**RCP4–445**	**RCP5–445**
	48.3	G 1 1/2		**RCP3–448.3**	**RCP4–448.3**	**RCP5–448.3**
	50.0			**RCP3–450**	**RCP4–450**	**RCP5–450**
4	51.0		2	**RCP3–451**	**RCP4–451**	**RCP5–451**
	52.0			**RCP3–452**	**RCP4–452**	**RCP5–452**
	55.0			**RCP3–455**	**RCP4–455**	**RCP5–455**
	57.0		2 1/4	**RCP3–457**	**RCP4–457**	**RCP5–457**
	60.3	G 2		**RCP3–460.3**	**RCP4–460.3**	**RCP5–460.3**
	63.0		2 1/2	**RCP3–463**	**RCP4–463**	**RCP5–463**
	65.0			**RCP3–465**	**RCP4–465**	**RCP5–465**
	70.0			**RCP3–470**	**RCP4–470**	**RCP5–470**


Continuation see next page ...

T

Tel: +45 63 12 83 00 | Email: ps@hymatik.com | www.hymatik.com | Hvidkaervej 27a, DK-5250 Odense SV, Denmark

Tube clamps series C – Complete range (Continued)

2 clamp halves, locking plate, stacking bolts



SPC...

ASC...

RCP...

Polypropylene – **RCP**
Inside smooth – **RCPG [1])**
Polyamide 6 – **RCN**
Rubber – **RCVR***
Aluminium – **RCA**

(As required please exchange standard abbreviation RCP in column for "Order code")

clamp size	Tube O.D. mm	Tube NB	Tube O.D.	Order code
	70.0			**RCP5–570**
	73.0			**RCP5–573**
	75.0			**RCP5–575**
5	76.1	G 2 1/2	3	**RCP5–576.1**
	80.0			**RCP5–580**
	82.5		3 1/4	**RCP5–582.5**
	88.9	G 3	3 1/2	**RCP5–588.9**
	90.0			**RCP5–590**
	90.0			**RCP5–690**
	97.0			**RCP5–697**
	100.0			**RCP5–6100**
6	101.6	G 3 1/2	4	**RCP5–6101.6**
	108.0		4 1/4	**RCP5–6108**
	114.3	G 4	4 1/2	**RCP5–6114.3**
	127.0		5	**RCP5–6127**
	127.0		5	**RCP5–7127**
	133.0		5 1/4	**RCP5–7133**
	140.0	G 5	5 1/2	**RCP5–7140**
7	150.0			**RCP5–7150**
	152.4	G 5 1/2	6	**RCP5–7152.4**
	159.0		6 1/4	**RCP5–7159**
	165.1	G 6	6 1/2	**RCP5–7165.1**
	168.3		6 5/8	**RCP5–7168.3**
	168.3		6 5/8	**RCP5–8168.3**
	177.8		7	**RCP5–8177.8**
8	193.7		75/8	**RCP5–8193.7**
	203.0			**RCP5–8203**
	219.1	G 8	85/8	**RCP5–8219.1**
	220.0			**RCP5–8220**

Delivery in unassembled individual components.

[1]) Only sizes 1–4

* Only with cover plate, hexagon screws and locking washers (only sizes 1–4).


Tel: +45 63 12 83 00 | Email: ps@hymatik.com | www.hymatik.com | Hvidkaervej 27a, DK-5250 Odense SV, Denmark

Tube clamps series C – Complete range

Polypropylene – **RCPD**
Inside smooth – **RCPDG**[1])
Polyamide 6 – **RCND**
Rubber – **RCVDR***
Aluminium – **RCAD**


(As required please exchange standard abbreviation RCP in column for "Order code")

4 clamp halves, double weld plate, double cover plate, hex. head bolts



SSC…
DPDC…
RCPD… (=2XRCP…)
APDC…

4 clamp halves, double weld plate, double cover plate, socket head bolts



ISC…
DPDC…
RCPD… (=2XRCP…)
APDC…

clamp size	Tube O.D. mm	Tube NB	Tube O.D.	Order code	Order code
	6.0			**RCPD1–106**	**RCPD2–106**
	8.0		5/16	**RCPD1–108**	**RCPD2–108**
	10.0	G 1/8		**RCPD1–110**	**RCPD2–110**
	12.0			**RCPD1–112**	**RCPD2–112**
	12.7		1/2	**RCPD1–112.7**	**RCPD2–112.7**
1	13.5	G 1/4		**RCPD1–113.5**	**RCPD2–113.5**
	14.0			**RCPD1–114**	**RCPD2–114**
	15.0			**RCPD1–115**	**RCPD2–115**
	16.0		5/8	**RCPD1–116**	**RCPD2–116**
	17.2	G 3/8		**RCPD1–117.2**	**RCPD2–117.2**
	18.0			**RCPD1–118**	**RCPD2–118**
	19.0		3/4	**RCPD1–219**	**RCPD2–219**
	20.0			**RCPD1–220**	**RCPD2–220**
	21.3	G 1/2		**RCPD1–221.3**	**RCPD2–221.3**
	22.0			**RCPD1–222**	**RCPD2–222**
2	23.0			**RCPD1–223**	**RCPD2–223**
	25.0		1	**RCPD1–225**	**RCPD2–225**
	26.9	G 3/4		**RCPD1–226.9**	**RCPD2–226.9**
	28.0			**RCPD1–228**	**RCPD2–228**
	30.0			**RCPD1–230**	**RCPD2–230**
	30.0			**RCPD1–330**	**RCPD2–330**
	32.0		1 1/4	**RCPD1–332**	**RCPD2–332**
	33.7	G 1		**RCPD1–333.7**	**RCPD2–333.7**
3	35.0			**RCPD1–335**	**RCPD2–335**
	38.0		1 1/2	**RCPD1–338**	**RCPD2–338**
	40.0			**RCPD1–340**	**RCPD2–340**
	42.0	G 1 1/4		**RCPD1–342**	**RCPD2–342**
	38.0		1 1/2	**RCPD1–438**	**RCPD2–438**
	40.0			**RCPD1–440**	**RCPD2–440**
	42.0	G 1 1/4		**RCPD1–442**	**RCPD2–442**
	45.0			**RCPD1–445**	**RCPD2–445**
	48.3	G 1 1/2		**RCPD1–448.3**	**RCPD2–448.3**
	50.0			**RCPD1–450**	**RCPD2–450**
4	51.0		2	**RCPD1–451**	**RCPD2–451**
	52.0			**RCPD1–452**	**RCPD2–452**
	55.0			**RCPD1–455**	**RCPD2–455**
	57.0		2 1/4	**RCPD1–457**	**RCPD2–457**
	60.3	G 2		**RCPD1–460.3**	**RCPD2–460.3**
	63.0		2 1/2	**RCPD1–463**	**RCPD2–463**
	65.0			**RCPD1–465**	**RCPD2–465**
	70.0			**RCPD1–470**	**RCPD2–470**

Continuation see next page …

T


Tel: +45 63 12 83 00 | Email: ps@hymatik.com | www.hymatik.com | Hvidkaervej 27a, DK-5250 Odense SV, Denmark

Tube clamps series C – Complete range (Continued)


Polypropylene – **RCPD**
Inside smooth – **RCPDG**[1])
Polyamide 6 – **RCND**
Rubber – **RCVDR***
Aluminium – **RCAD**

(As required please exchange standard abbreviation RCP in column for "Order code")

4 clamp halves, double weld plate, double cover plate, hex. head bolts



4 clamp halves, double weld plate, double cover plate, socket head bolts



clamp size	Tube O.D. mm	Tube NB	Tube O.D.	Order code	Order code
	70.0			**RCPD1–570**	**RCPD2–570**
	73.0			**RCPD1–573**	**RCPD2–573**
	75.0			**RCPD1–575**	**RCPD2–575**
5	76.1	G 2 1/2	3	**RCPD1–576.1**	**RCPD2–576.1**
	80.0			**RCPD1–580**	**RCPD2–580**
	82.5		3 1/4	**RCPD1–582.5**	**RCPD2–582.5**
	88.9	G 3	3 1/2	**RCPD1–588.9**	**RCPD2–588.9**
	90.0			**RCPD1–590**	**RCPD2–590**
	90.0			**RCPD1–690**	**RCPD2–690**
	97.0			**RCPD1–697**	**RCPD2–697**
	100.0			**RCPD1–6100**	**RCPD2–6100**
6	101.6	G 3 1/2	4	**RCPD1–6101.6**	**RCPD2–6101.6**
	108.0		4 1/4	**RCPD1–6108**	**RCPD2–6108**
	114.3	G 4	4 1/2	**RCPD1–6114.3**	**RCPD2–6114.3**
	127.0		5	**RCPD1–6127**	**RCPD2–6127**
	127.0		5	**RCPD1–7127**	**RCPD2–7127**
	133.0		5 1/4	**RCPD1–7133**	**RCPD2–7133**
	140.0	G 5	5 1/2	**RCPD1–7140**	**RCPD2–7140**
7	150.0			**RCPD1–7150**	**RCPD2–7150**
	152.4	G 5 1/2	6	**RCPD1–7152.4**	**RCPD2–7152.4**
	159.0		6 1/4	**RCPD1–7159**	**RCPD2–7159**
	165.1	G 6	6 1/2	**RCPD1–7165.1**	**RCPD2–7165.1**
	168.3		6 5/8	**RCPD1–7168.3**	**RCPD2–7168.3**
	168.3		6 5/8	**RCPD1–8168.3**	**RCPD2–8168.3**
	177.8		7	**RCPD1–8177.8**	**RCPD2–8177.8**
8	193.7		7 5/8	**RCPD1–8193.7**	**RCPD2–8193.7**
	203.0			**RCPD1–8203**	**RCPD2–8203**
	219.1	G 8	8 5/8	**RCPD1–8219.1**	**RCPD2–8219.1**
	220.0			**RCPD1–8220**	**RCPD2–8220**

Delivery in unassembled individual components.

[1]) Only sizes 1–4

* Only with cover plate, hexagon screws and locking washers (only sizes 1–4).

Tel: +45 63 12 83 00 | Email: ps@hymatik.com | www.hymatik.com | Hvidkaervej 27a, DK-5250 Odense SV, Denmark